THE UNITED SEVIES OF WITHING

TOALL TO WHOM THESE PRESENTS SHALL COME: Teweles Seed Company

Wilhereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AS ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUETO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE KEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTIOS IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF SOURTERN TEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND TERIODJC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IS PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT + STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'XK-515'

In Testimony Whereot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington this 24th day of January in the year of our Lord one thousand nine hundred and seventy-four

Earl L. Bity
Secretary of Agriculture

Attest:

Commissioner

Plant Variety Protection Office

UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE GRAIN DIVISION HYATTSVILLE, MARYLAND 20782

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

INSTRUCTIONS: See Reverse.					
1. VARIETY NAME OR TEMPORARY DESIGNATION	2. KIND NAME		FOR OFFICIAL USE ONLY		
XK-515	Soybean		7160		
3. GENUS AND SPECIES NAME	4. FAMILY NAME (Botanical)		FILING DATE	TIME A.M.	
Glycine max	Leguminosae		4.7.71	10:30 -	
Grycine max	5. DATE OF DETER	INATION	\$2.50	\$\$	
	October	1970	250	\$	
6. NAME OF APPLICANT(S)	7- ADDRESS (Street at Code)	nd No. or R.F.D. No.,	City, State, and ZIP	8. TELEPHONE AREA CODE AND NUMBER	
Teweles Seed Co.	1600 or	egon Street			
by	1	ne, Iowa 527	761	319-263-0142	
Robert L. Teweles		, <u>.</u>	-		
9. IF THE NAMED APPLICANT IS NOT A PER ORGANIZATION: (Corporation, partnership, a		10. STATE OF INCOF	RPORATION	11. DATE OF INCOR-	
Teweles Seed Company		Wiscons	sin	1911	
12. Name and mailing address of applica	ant representative(s), if any, to serve	in this application	and receive all papers:	
Robert L. Tewele	es				
Teweles Seed Co.	= -				
1600 Oregon St.	•				
Muscatine, Iowa	52761				
Huscatine, 10wa	32701				
13. CHECK BOX BELOW FOR EACH ATTACH	MENT SUBMITTED:				
🕱 13A. Exhibit A, Origin and Breed	ding History of the	Vari <mark>e</mark> ty (See Sectio	n 52 of the Plant	Variety Protection Act.)	
X 13B. Exhibit B, Botanical Descr	ription of the Variet	у			
🕱 130. Exhibit C, Objective Descr	iption of the Variet	y			
🔀 13D. Exhibit D, Data Indicative	of Novelty				
X 13E. Exhibit E, Statement of the	Basis of Applicant	's Ownership			
14A. Does the applicant(s) specify that (See Section 83(a), (If "Yes," ans			name only as a cl		
148. Does the applicant(s) specify that				nerations of production	
limited as to number of generations	s?	beyond breed	ALCOHOL:	ED CERTIFIED	
The applicant declares that a viable sa ance of a certificate and will be repler					
The undersigned applicant(s) of this					
uniform, and stable as required in Sec Plant Variety Protection Act.					
Applicant is informed that false repre	sentation herein ca	n jeopardize protec	tion and result in	penalties.	
March 26 1971		Ma a	L. Teweler		
Much 26, 1971 (DATE)	_	(SI	GNATURE OF APPLI	CANT)	
(DATE)	_	(6)	CHATUBE OF ABOUT	ANT	
(UATE)		(5)	GNATURE OF APPLI	ÇAN I /	

INSTRUCTIONS

GENERAL: Send an original copy of the application, exhibits and \$250.00 fee to U.S. Dept. of Agriculture, Agricultural Marketing Service, Grain Division, 6525 Belcrest Road, Hyattsville, Maryland 20782. (See Section 180.175 of the regulations and rules of practice.) Retain one copy for your files. All items on the face of the form are self-explanatory unless noted below.

ITEM

- Insert the date the applicant determined that he had a new variety based on the definition in Section 41 (a) of the Act and decision is made to increase the seed.
- 13a First, give the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method. Second, give the details of subsequent stages of selection and multiplication. Third, indicate the type and frequency of variants during reproduction and multiplication and state how these variants may be identified. Fourth, provide evidence on stability.
- 13b First, give any special characteristics of the seed and of the plant as it passes through the seedling stage, flowering stage and the fruiting stage. Second, describe the mature plant and compare it with a similar commercial variety grown under the same conditions, and indicate the differences.
- 13c A supplemental form will be furnished by the PVPO to describe in detail a variety for each kind of seed.
- 13d Provide complete data indicative of novelty. Seed and plant specimens or photographs of seed and plant comparisons clearly indicating novelty may be submitted. Seeds submitted may be sterile.
- 13e Indicate whether applicant is the actual breeder, the employer of the breeder, the owner through purchase or inheritance, etc.

- 1965-66 Obtained parental stock seed from U.S.D.A., Urbana, Illinois.
- 1966 Hand crossed F₁ seed obtained.
- F_1 plant grown out F_2 seed obtained. 1967
- 1967-68 F_2 seed grown out in Hawaii.
- 1968 F3 individual plant selected, labeled Wayne x Habaro (c)95, Clinton, Wisconsin.
- 1968-69 Sent 74 grams of seed from this single F3 plant Wayne x Habaro (c)95 to Hawaii for winter increase. Obtained 1455 grams of F_{Δ} seed for increase and trials.
- Tested this F_5 bulk line at three locations in replicated yield trials. Established an increase block 4 rows 600 1969 feet long. Increase block was rogued for off-types and to establish variety type - 250 pounds of breeders stock seed pro-
- 1970 Tested line Wayne x Habaro (c)95 at two locations in replicated trials. Small commercial increase of 7.5 acres was checked for off-type plants. Line performance was satisfactory in yield trials and increase; assigned variety name of XK-155.

13 12B - Botanical Description of the Variety

- I Special characteristics of the variety from planting to fruiting stage; This variety is characterized by its ability to pod rapidly after flowering and gives an unusual appearance of plants having numerous top pods on top end of stems.
- II Mature plant characteristics Group II variety comparisons

<u>Variety</u>	Flower <u>Color</u>	Hilum Color	Plant Pubescence	Plant <u>Height</u>	Phytophthora
XK-155 vs.	white	brown	brown	34"	seg.
Corsoy	purple	yellow	grey	34"	susceptible
Amsoy	purple	yellow	grey	36"	susceptible
Beeson	purple i	mp.black	grey	38"	resistant

EXHIBIT C (Soybean)

OBJECTIVE DESCRIPTION OF VARIETY

SOYBEAN (GLYCINE MAX)

INSTRUCTIONS: See Reverse. SOYBEAN (GL	LYCINE MAX)					
NAME OF APPLICANT(S)	FOR OFFICIAL USE ONLY					
US Teweles Seed Company by Wm.						
ADDRESS (Street and No., or R.F.D. No.; City, State, and ZIP Code)	7160					
Research Central	VARIETY NAME OR TEMPORARY					
Route #1	DESIGNATION XK-515					
Clinton, Wisconsin 53525						
Place the appropriate number that describes the varietal cha	racter of this variety in the boxes below.					
1. SEED SHAPE:						
1 = SPHERICAL 2 = SPHERICAL 3 = ELONGA	TE 4 = OTHER (Specify)					
2. SEED COAT COLOR:	'SHADE:					
1=YELLOW 2=GREEN 3=BROWN	4 = BLACK 1 1 1 2 MEDIUM 3 = DARK					
1 5 = OTHER (Specify)	4 = BLACK 2 1 = LIGHT 2 = MEDIUM 3 = DARK					
3. SEED COAT LUSTER:	4. SEED SIZE					
1						
2 = SHINY	1 8 GRAMS PER 100 SEEDS					
5. HILUM COLOR:	SHADE:					
1	S _ IMPERFECT					
3 = BUFF 2 = YELLOW 3 = BROWN 4 = GRAY	BLACK 12 1= LIGHT 2 = MEDIUM 3 = DARK					
6 = BLACK $7 = OTHER (Specify)$	\ <u>[Z_]</u>					
6. COTYLEDON COLOR:	7. LEAFLET SIZE (See Reverse):					
						
1 1 = YELLOW 2 = GREEN	$\left \frac{1}{2} \right $ 1 = SMALL 2 = MEDIUM 3 = LARGE					
8. LEAFLET SHAPE:						
1 l=ovate 2=oblong 3=Lanceolate 4	≈ ELLIPTICAL 5 = OTHER (Specify)					
1 STATE S SSECTION S PERIOR STATE	TEEL TICKE STORMER (Speedly)					
9. LEAF COLOR (See reverse):	10. FLOWER COLOR:					
3 = LIGHT GREEN 2 = MEDIUM GREEN 3 = DARK	GREEN 1 = WHITE 2 = PURPLE 3 = OTHER (Specify)					
11. POD COLOR:	12: POD SET:					
1 = TAN 2 = BROWN 3 = BLACK	1 = SCATTERED 2 = CONCENTRATED					
13. PLANT PUBESCENCE COLOR:						
	(SHADE:					
2 1 = GRAY 2 = BROWN 3 = OTHER (Specify)	1 = LIGHT 2 = MEDIUM 3 = DARK					
14. PLANT TYPES (See Reverse):	15. PLANT HABIT:					
· ·						
2 1 = SLENDER 2 = BUSHY 3 = INTERMEDIATE	2 = INDETERMINATE 2 = INDETERMINATE 3 = OTHER (Specify)					
16. HYPOCOTYL COLOR:	17. SEED PROTEIN:					
1 = GREEN 2 = PURPLE	O 1 = A 2 = B					
18. NUMBER OF DAYS TO FLOWERING 19. MATURITY GROUP:						
(Place a zero in first box (e.g. 0 9) when days are 9 or less.)	2 = 0 3 = 1 4 = 11 5 = 111					
6=IV	7 = v $8 = vi$ $9 = vii$ $10 = viii$					
20. SIZE OF 10 DAY OLD SEEDLING GROWN UNDER CONSTANT LIGHT (Growth Chamber) AT 25° C. (Place a zero in first box						
(e.g. 0 2) when size is 9 mm. or less.) MM. LENGTH MM. LENGTH	C I I I I I I I I I I I I I I I I I I I					
MM. LENGTH OF SEEDLING MM. LENGTH OF COTYLEDO	MM. WIDTH OF COTYLEDON					
21. DISEASE: (Enter 0 =Not Tested; 1 = Susceptible; 2 = Resistant)						
	T					
2 BACTERIAL O SOYBEAN O DOWNY OF MILDEW	PURPLE 0 POD AND 0 ROOT KNOT					
O FROGEYE O STEM 2 PHYTO-	STEM ROT 0 TARGET 0 BROWN SPOT					
0 BLIGHT 0 WILDFIRE 0 RHIZOCTONIA 0	OTHER (Specily)					

INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.	
······································	

22. INDICATE WHICH TA	KIE II MOSI CEOSEEI KESEMBEES IN	AI JUDMII IED.	
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant shape	Wayne	Petiole angle	Habaro
Leaf shape	Wayne	Seed size	Amsoy
Leaf color	Wayne	Seed shape	Wavne
Leaf surface	Wayne	Seedling pigmentation	Wayne

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY:

Ĭ,	VARIETY NO. OF DAYS LODGING TO MATURITY SCORE	PLANT	LEAF SIZE		CONTENT		AVERAGE NO.		
VARIETY		SCORE	HEIGHT	Width	Length	Protein	Oil	OF PODS PER PLANT	IODINE NO.
Submitted	115	1.9	34''	_	_	41.8	21.1%	-	
Name of similar variety									
Corsoy	114	2.2	36"	L	_	39.7	21.4		

INSTRUCTIONS

GENERAL: The following publications may be used as a reference aid for completing this form:

- 1. Scott, Walter O. and Samuel R. Aldrich, 1970, Modern Soybean Production, The Farmer Quarterly.
- 2. Norman, A. G., 1963, The Soybean: Genetics, Breeding, Physiology, Nutrition, Management.
- 3. McKie, J. W., and K. L. Anderson, 1970, The Soybean Book.

LEAF COLOR: Nickerson's or any recognized color fan may be used to determine the leaf color of the described variety. The following Soybean varieties may be used as a guide to identify the colors listed on the form.

COLOR VARIETY
Light Green "Ada"
Medium Green "Wilkin"
Dark Green "Swift"

LEAF SIZE: The following varieties may be used as a guide to identify the relative size leaves.

Small "Amsoy"
Medium "Bonus"
Large "Anoka"

PLANT TYPE: The following varieties may be used as a guide to identify the plant type.

TYPE VARIETY
Slender "Vansoy"
Intermediate "Wirth"
Bushy "Adelphia"

NO. 7160 (XK-515) EXHIBIT D

XK-515 is unlike most other soybean varieties in plant type, growth characteristics. It resembles most closely its maternal parent, Wayne, in most of the describable characteristics. However, it is most significantly different from Wayne in the following traits:

CHARACTER DIFFERENCES

VARIETY	MATURITY	SEED HILUM
XK-515	Maturity Group II	Seed shows brown hilum
Wayne	Maturity Group III	Seed shows black hilum

13

e e e

12E - Applicant is the actual breeder; ownership rights are granted to and held by the Toweles Seed Company.

RJS